

# Yangidyn

## Injectable Solution

5% Flunixin meglumine



### Definition:

It is a clear and colourless injectable solution which includes Flunixin meglumine.

### Composition:

Each ml contains; 50 mg Flunixin (Flunixin meglumine).

### Indications:

Yangidyn is a NSAID and non-narcotic analgesic that has antipyretic and anti-endotoxic effect on cattle and sheep.

**Cattle:** In the treatment of acut inflammations caused by infections, in the treatment of acut inflammations caused by endotoxic shock, colibacillosis, pneumonia and chronic obstructive respiratory system diseases. In addition to that Yangidyn is used in the treatment of acut cattle pulmoner emphysema (fog fever) and acut mastitis as an anti-inflammatuar.

**Horse:** In the treatment of inflammations in the locomotion system, pains due to locomotor disorders and in the reduction of visseral pains due to colic.

### Dosage and administration:

Yangidyn is administered intravenous (IV) or intramuscularly (IM) in cattle and horse.

Cattle: 2 ml/45 kg (2.2 mg/kg); according to the situation of inflammation, it can be used for 5 days with 24 h. intervals. In addition to Yangidyn injectable administration, a treatment for the essential reason of acut inflammation should be done.

Horse: locomotion system disorders; 1 ml/45 kg (1.1 mg/kg); according to the clinical response, it can be used for 5 days with 24 h. intervals. Colic; 1 ml/45 kg (1.1 mg/kg); If the colic symptoms repeat, treatment can be repeated 1-2 times. In addition to Yangidyn administration, a treatment for the essential reason of colic should be done. Dosage for endotoxemi or septic shock related to gastric torsion or other reasons, is 1 ml/200 kg (0.25 mg/kg).Administration should be done with 6-8 h. intervals.

### Packing:

20 ml glass vials in cardboard box.