

Lamuzin LA **Injectable Solution**

20% Oxytetracycline

Definition:

It is a clear yellow-brown coloured injectable solution which includes oxytetracycline and has long term effectivity.

Composition:

Each ml contains 200 mg oxytetracycline base (as dihydrate).

Indications:

Lamuzin LA is indicated in the treatment of infections caused by susceptible bacteria, which are sensitive to oxytetracycline, in cattle and sheep.

• Respiratory diseases (Phaemolytica, P.multocida), · Hemorrhagic septisemia (P.multocida),

 Contagious foot infection (Fusobacterium necrophorum, Bacteriodes nodosus).

· Ceratoconjunctivitis (Moraxella bovis)

 Ovine enzootic abortion (Chlamydia psittaci) Anaplasmosiś

Secunder bacterial complications of viral infections

Dosage and administration:

Administered deep intramuscularly (IM) and dosage is 20 mg oxytetracycline / kg live weight.

As a supporter on metritis and other genital system infections.

If it is needed the dosage can be administered again after 3 days.

Practically; 1 ml Lamuzin LA / 10 kg live weight can be administered.

It musn't apply on the same injection area if the dosage is over 5 ml for sheep, 20 ml for cattle. Must be careful about antisepsis. It should never be administered thorugh the intravenously (IV) route.

Packing:

50 and 100 ml glass vials in cardboard box.

